Page 1 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs

77852 - Heißklebe-Sticks 7mm x 100mm 100pcs

77853 - Heißklebe-Sticks 11mm x 200mm 50pcs

77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Hot-melt adhesive

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Wentronic GmbH Pillmannstraße 12 38112 Braunschweig Tel.: +49 (0)531 2 10 58 - 0

Fax: +49 (0)531 2 10 58 - 743 Homepage: www.wentronic.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WEC)

+1 872 5888271 (WEC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3 Other hazards

Page 2 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	
Classification according to Regulation (EC) 1272/2008 (CLP), M-	
factors	

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Normally not irritating to skin.

In the event of contact with the hot product:

Cool with cold water.

Do not pull solidified product from the skin.

Cover burns aseptically.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink. Consult doctor if necessary.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Page 3 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Oxides of carbon

Acetic acid

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Allow the hot product to solidify.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

When dealing with heated material:

Ensure good ventilation.

Avoid contact with eyes or skin.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Page 4 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

© Chemical Name	(29H,31H-Phthalo				
WEL-TWA: 1 mg/m3 (Copper a	nd compounds -			er and compounds -	
dust and mists (as Cu))		dust and mists	s (as Cu))		
Monitoring procedures:	-				
BMGV:				Other information: -	
© Chemical Name	Polychloro coppei	r phthalocyanine	9		
WEL-TWA: 1 mg/m3 (Copper a				er and compounds -	
dust and mists (as Cu))		dust and mists		·	
Monitoring procedures:					
BMGV:				Other information: -	
Chemical Name	Copper compound	ds			
WEL-TWA: 1 mg/m3 (Copper a			2 mg/m3 (Copp	er and compounds -	
dust and mists (as Cu))		dust and mists		o. aa copcaac	
Monitoring procedures:			- (a.c. c a.//		
BMGV:				0.1 1.7	
DIVIGV				Other information: -	
	are and dust limit			Other information: -	·
® Chemical Name	general dust limit			Other information: -	
Chemical Name WEL-TWA: 10 mg/m3 (inhal. du		WEL-STEL:		Other information: -	
© Chemical Name WEL-TWA: 10 mg/m3 (inhal. du (respir. dust)		WEL-STEL:		Other information: -	
Chemical Name WEL-TWA: 10 mg/m3 (inhal. du		_		Other information: -	

(29H,31H-Phthalocyanir	(29H,31H-Phthalocyaninato(2-)-N29,N30,N31,N32)copper											
Area of application	Exposure route / Environmental	Effect on health	Descripto	Value	Unit	Note						
	compartment		I									
	Environment - soil		PNEC	1	mg/kg							
	Environment - sediment, freshwater		PNEC	10	mg/kg							
	Environment - sediment, marine		PNEC	1	mg/kg							
Consumer	Human - dermal	Long term, systemic effects	DNEL	225	mg/kg							
Consumer	Human - oral	Long term, systemic effects	DNEL	45	mg/kg							
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	450	mg/kg							
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	4	mg/m3							

Polychloro copper phthalocyanine												
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note						
Consumer	Human - inhalation	Long term, local effects	DNEL	10	mg/m3							
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/kg							

- United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)). (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction

(2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure

limits (Fourth Edition 2020)).

③B -

Page 5 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 11mm x 200mm 100pcs 77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes.

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

When dealing with heated material:

If applicable

Leather gloves.

Natural fibre or heat-resistant synthetic fibre

Skin protection - Other:

Usual protective working garments

Respiratory protection:

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

Page 6 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid

Colour: According to specification

Odour: Odourless
Melting point/freezing point: 80 °C

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter.

Lower explosion limit:

Upper explosion limit:

Does not apply to solids.

Does not apply to solids.

Flash point:

Does not apply to solids.

Flash point:

Does not apply to solids.

Auto-ignition temperature:

Does not apply to solids.

Decomposition temperature: There is no information available on this parameter.

pH: Mixture is non-soluble (in water). Kinematic viscosity: 15,9 cP (176°C, Dynamic viscosity)

Solubility: Insoluble

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure:

Density and/or relative density:

There is no information available on this parameter.

There is no information available on this parameter.

Relative vapour density: Does not apply to solids.

Particle characteristics: There is no information available on this parameter.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs

77852 - Heißklebe-Sticks 7mm x 100mm 100pcs

77853 - Heißklebe-Sticks 11mm x 200mm 50pcs

77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Troop Troibilion Cranton Trimin A 200mm										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Acute toxicity, by oral route:						n.d.a.				
Acute toxicity, by dermal						n.d.a.				
route:										
Acute toxicity, by inhalation:						n.d.a.				
Skin corrosion/irritation:						n.d.a.				

Page 7 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Serious eye	n.d.a.
damage/irritation:	
Respiratory or skin	n.d.a.
sensitisation:	
Germ cell mutagenicity:	n.d.a.
Carcinogenicity:	n.d.a.
Reproductive toxicity:	n.d.a.
Specific target organ toxicity -	n.d.a.
single exposure (STOT-SE):	
Specific target organ toxicity -	n.d.a.
repeated exposure (STOT-	
RE):	
Aspiration hazard:	n.d.a.
Symptoms:	n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	> 5000	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	>16000	mg/kg	Mouse	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	Male
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant, Analogous conclusion
Skin corrosion/irritation:				Rabbit	,	Not irritant
Serious eye damage/irritation:				Rabbit		Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant, Analogous conclusion
Germ cell mutagenicity:					,	Negative
Aspiration hazard:						n.a.
Symptoms:						stomach pain, Irritation of the respiratory tract, diarrhoea, nausea and vomiting.

Polychloro copper phthalocyanine										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat						
Acute toxicity, by dermal	LD50	>5000	mg/kg	Rat						
route:										
Skin corrosion/irritation:				Rabbit	(Draize-Test)	Not irritant				
Serious eye				Rabbit	(Draize-Test)	Not irritant				
damage/irritation:										
Respiratory or skin				Guinea pig		No (inhalation				
sensitisation:						and skin				
						contact)				
Aspiration hazard:						n.a.				

11.2. Information on other hazards

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs

77852 - Heißklebe-Sticks 7mm x 100mm 100pcs

77853 - Heißklebe-Sticks 11mm x 200mm 50pcs

77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

77030 - Heliskiebe-Sticks 3 Faibert Fillin x 200mm										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				



Page 8 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Endocrine disrupting properties:		Does not apply to mixtures.
Other information:		No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs

77852 - Heißklebe-Sticks 7mm x 100mm 100pcs

77853 - Heißklebe-Sticks 11mm x 200mm 50pcs

77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	>500	mg/l	Daphnia magna STRAUS	Regulation (ÉC) 440/2008 C.2 (DAPHNIA SP. ACUTE IMMOBILISATIO N TEST)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	> 1	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	Analogous conclusion
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus	OEĆD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:							Mechanical precipitation possible.



Page 9 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

12.2. Persistence and degradability:		28d	<1	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not biodegradable
12.2. Persistence and degradability:	BCF		0,1-11			,	
12.3. Bioaccumulative potential:	Log Pow		6,6				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	30min	>10000	mg/l	Pseudomonas putida	DIN 38412 T.27 (Draft)	
Other information:	AOX		0	%	1		
Water solubility:							Insoluble

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Leuciscus idus		
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Scenedesmus subspicatus		
12.2. Persistence and degradability:							Hardly biodegradable, Mechanical precipitation possible.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:		30min	>100	mg/l	Pseudomonas putida	DIN 38412 T.27 (Draft)	
Other information:	AOX		~ 49	%			Contains organically bound halogens, which may contribute to the AOX value in wastewater.
Water solubility:							Insoluble

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Page 10 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

Tunnel restriction code:

Classification code:

Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

0 %

Observe restrictions:

This product is regulated by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

For exceptions see Regulation (EU) 2019/1148 and guidelines for the implementation of Regulation (EU) 2019/1148.

General hygiene measures for the handling of chemicals are applicable.

Regulation (EC) No 1907/2006, Annex XVII

Product contains azo dye. It is suspected that azo groups can be enzymatically split in the body.

Directive 2010/75/EU (VOC):

National requirements/regulations on safety and health protection must be applied when using work equipment.

(B)

Page 11 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs

77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

n.a.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

Page 12 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU **European Union**

EVAL Ethylene-vinyl alcohol copolymer

Fax number Fax. general gen.

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

octanol-water partition coefficient Kow

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

International Maritime Code for Dangerous Goods IMDG-code

incl. including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ **Limited Quantities**

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight mg/kg wet weight mg/kg wwt

n.a. not applicable n.av. not available not checked n.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:



Page 13 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 26.09.2025 / 0001

Replacing version dated / version: 26.09.2025 / 0001

Valid from: 26.09.2025 PDF print date: 26.09.2025

77851 - Heißklebe-Sticks 7mm x 100mm 50pcs 77852 - Heißklebe-Sticks 7mm x 100mm 100pcs 77853 - Heißklebe-Sticks 11mm x 200mm 50pcs 77854 - Heißklebe-Sticks 11mm x 200mm 100pcs

77855 - Heißklebe-Sticks 5 Glitter-Farben 11mm x 200mm

77856 - Heißklebe-Sticks 5 Farben 11mm x 200mm

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

+49 5233 94 17 90
© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.